BURGLARS BUNGLE JOB

ATTEMPT TO OPEN LAUNDRY SAFE IS A FAILURE.

Cracksmen, Evidently Amateurs,

Unsuccessful When They Try

to Blow Strongbox.

Inch to explose it by a time and eah.

In the exploration of the headed of the
door to the bottom and the headed of the
door to the bottom and the headed of the
door to the bottom and the fuse and cap,
used to discharge the airroglycerine, had
no effect. A second attempt was made to
first litbut for probers evicelently became
for it they are not become the second charge was not exploded, but
left in the door of the safe. Their tools,
which had been taken from a blackmith
shop near by, were left in the building
was in a couple of lit wells which were
left atmidge on a shell rear by.

which had been taken from a blackmith shop near by, were left in the building together with some of the explosive. This was in a couple of ink wells which were the transport of the well of the was in the front room, evidence of this being shown by the fillings that were left was in the front room, evidence of this being shown by the fillings that were left was in the front room by the fillings that were left was taken to the rear room by means of a crowbar. This instrument was also used to effect entrance into the building as the bruices on a window easing on IColottes were pilled upon the safe in

as the bruisse on a vincow causing on the west gist plainly aboved.

Cichies were pile and the safe in Cichies were pile as the complete of th

lists.

From the methods used by the burglars it was evident that they were novices at the business. There was approximately \$150 in the safe in gold and

Eliver.